



Gorilla Post System Installation Instructions – Magnetic Posts & Bollards

Congratulations on your recent purchase of the Gorilla Post System. The system components include the metal mounting base plate, epoxy to permanently attach the plate to the concrete or asphalt subsurface, the post or delineator and the removal tool.

Please use proper safety precautions and equipment including protective gloves and eyewear during installation. See Terms & Conditions

Metal Mounting Base Plate Installation onto Asphalt

1) Use 60 Grit sandpaper to lightly sand the back side (the side without any writing) of the plate. (image 1-A)

2) Place a 1" x 1" piece of strong, sticky tape on the back side of plate so that the large center hole is completely covered. (image 1-B)

3) Position the plate where you will want the plate permanently attached. Use a marking pen to mark the 2 smaller holes in the plate. These marks will indicate where to use a roto-hammer drill with 1/2" diameter bit to create holes that are 2" deep. Move the plate out of the way and drill the 2 holes. Make sure each hole is deep enough for the lag sleeve to be inserted so is completely below the surface of the asphalt. (image 1-C)

4) Read the instructions that ships with the epoxy and follow those directions. Prepare epoxy. Place epoxy into each 2" deep hole so is half full of epoxy. (image 1-D)

5) Press a lag sleeve into each hole making sure the sleeve is just below the surface of the asphalt. Add a bit of epoxy in the lag sleeve. (image 1-E)

6) Place about 1 ounce of epoxy onto the backside of the plate while being careful to avoid the center hole. (image 1-F)

7) Carefully place the plate so the 2 smaller holes in the plate align with the 2 holes that contain the lag sleeves. (image 1-G)

8) Use a screwdriver to insert the stainless steel screws through the holes in the plate into the lag sleeves. (image 1-H)

9) The heads of the screws should not be sticking above the surface of the plate or this will prevent the magnetic base of the post or bollard from properly coupling onto the plate. Wait at least 24 hours before placing a post or bollard on a plate. Refer to directions that accompany the epoxy for the suggested time to wait. (image 1-I)



image 1-A




image 1-B



image 1-C



image 1-D



image 1-E




image 1-F



image 1-G



image 1-H



image 1-I

Metal Mounting Base Plate Installation onto Concrete

1) Use 60 Grit sandpaper to lightly sand the back side (the side without any writing) of the plate. (image 2-A)

2) Place a 1" x 1" piece of strong, sticky tape on the back side of plate so that the large center hole is completely covered. (image 2-B) Prepare epoxy.

3) Place about 1 ounce of epoxy onto the backside of the plate while being careful to avoid the center hole. (image 2-C)

4) Carefully place the plate into position. Wait at least 24 hours before placing a post or bollard on a plate. Refer to directions that accompany the epoxy for the suggested time to wait. (image 2-D)




image 2-A




image 2-B



image 2-C



image 2-D

Preparing Epoxy for Installing the Base Plate: The Epoxy System Kit option

Each cartridge will affix approximately 10 GPPLATEA mounting plates to asphalt or 20 GPPLATE mounting plates to concrete.

1) Using the Epoxy System Kit. The kit includes the gun with piston, disposable epoxy cartridge and disposable nozzle. The epoxy system kit will install around 20 plates and the reusable gun can be used with replacement cartridges to put down additional plates. Follow manufacturer's instructions which may change and differ from the following suggestions and illustrations. (image 3-A)

2) Pull the pressure plunger outwards. (image 3-B)

3) Make sure the pressure plunger is fully extended. (image 3-C)

4) Rotate the piston and lift it out of the gun. (image 3-D)

5) Insert the disposable cartridge in the piston. (image 3-E)

6) Place the piston with the cartridge back into the gun by rotating the piston. (image 3-F)

7) Remove the cap from the cartridge. (image 3-G)

8) Install the disposable nozzle onto the cartridge. (image 3-H)

9) Pull the gun's trigger until the pressure plunger presses against the cartridge causing epoxy to flow down the nozzle. Discard the first 2 squirts of epoxy.

The epoxy is ready to be used. The epoxy mixes as it flows down the nozzle. The epoxy will set in the nozzle so if the cartridge is not completely used, be sure to order spare nozzles for subsequent use of a single cartridge. Do not discard the piston when you discard the cartridge. Do discard the nozzle. (image 3-I)



image 3-A



image 3-B



image 3-C



image 3-D



image 3-E



image 3-F



image 3-G



image 3-H



image 3-I

Preparing Epoxy for Installing the Base Plate: The Epoxy Disposable Unit option

One GPEPOXY is suitable to adhere 1 GPPLATEA mounting plate to asphalt or 2 GPPLATE mounting plates to concrete.

1) Using the Epoxy Disposable Unit. The epoxy disposable unit includes the disposable cartridge and disposable mixing/spreading stick. The epoxy system is a disposable unit that will install 1 or 2 plates. Follow manufacturer's instructions which may differ from the following suggestions and illustrations. (image 4-A)

2) Use a marker to note the halfway point of the cartridge. This indicator will allow you to properly divide the epoxy for use with 2 plates. (image 4-B)

3) Remove the tab that blocks the plunger from moving and set aside. The tab also functions as a cap if you are only using half the epoxy. (image 4-C)

4) Cut away the end of the cartridge. (image 4-D)

5) Push the plunger into the cartridge until you reach the indicator mark you made earlier. Use scrap cardboard or the backside of the base plate to hold the epoxy as you prepare to mix the epoxy. (image 4-E)

6) Stir the epoxy for 2 minutes in concentric circles taking care not to spread the epoxy too far. The epoxy is ready to be used. (image 4-F)

7) Use the mixing stick to apply the epoxy. (image 4-G)



image 4-A



image 4-B



image 4-C



image 4-D




image 4-E



image 4-F



image 4-G

Preparing Post or Bollard for use with Base Plate and Placing onto the Base Plate

- 1) Remove the plastic cover that attaches to the underside of the magnetic base during shipment. Keep the cover if you plan to store the post at a later time. (image 5-A)
- 2) Once the base plate's epoxy has fully cured, the post or bollard can be lowered onto the plate. The magnetic pull is very strong and will be felt when the base is still about 4" above the plate. The post or bollard should couple to the plate so that the center bolt in the magnetic base is resting in the center hole of the base plate. If you push the post or bollard a few inches off center and the magnetic base rocks, remove the post or bollard with a removal tool and lower onto the plate again until the magnetic base does not rock. (image 5-B)




image 5-A



image 5-B

Using the Removal Tool to Free the Post from the Plate: The Hand-Operated Tool Option

- 1) Identify any one of the four tool access points molded into the black rubber cover. (image 6-A)
- 2) Guide the tool tip into the access point. (image 6-B)
- 3) Use your foot to ensure the tool tip is firmly inserted into the access point and to keep pressure on the tool tip. (image 6-C)
- 4) Grasp the top of the post to pull the top of the post toward you 12" then pull the top of the tool towards you until the post pops off the round metal base plate. (image 6-D)



image 6-A



image 6-B



image 6-C



image 6-D

Using the Removal Tool to Free the Post from the Plate: The Foot-Operated Tool Option

- 1) Identify any one of the four tool access points molded into the black rubber cover and guide the tool tip into the access point. (image 7-A)
- 2) Use your hand to ensure the tool tip is firmly inserted into the access point. (image 7-B)
- 3) Grasp the top of the post to pull the top of the post toward you 12" then place your foot on the flat portion of the tool and crisply step downwards in one smooth motion. The post will pop off the round metal base plate. (image 7-C)



image 7-A



image 7-B



image 7-C

Installing an optional Sign Holder onto Post

- 1) Partially insert the 4 threaded screws toward the large end of the adapter making sure each screw's opening is facing out. (image 8-A)
- 2) Lower the adapter onto the top of the post. (image 8-B)
- 3) Use the special hollow Allen wrench to fit into the open end each of the four screw and tighten so the screws firmly set into the post. (image 8-C)
- 4) Partially insert 2 threaded screws into the rail at the top of the adapter. Each screw should be so the opening is facing out of the small hole on each side of the adapter's rail. (image 8-D)
- 5) Lower the aluminum sign weighing up to 1.6 pounds into the slot in the rail and use the hollow Allen wrench to tighten the 2 screws so the sign is held firmly. If the sign does not fill the width of the rail's gap causing the sign to be slightly askew, you can devise a spacer such as a small metal washer to put between the screw and the sign. (image 8-E)



image 8-A



image 8-B



image 8-C



image 8-D



image 8-E

Installing an optional Loop Cap into Post

- 1) Start with the open end of the post. If the post has a regular black cap in place, remove the cap using a screwdriver to pry the cap loose. (image 9-A)
- 2) Lower the adapter onto the top of the post so is partially inserted. Use a rubber mallet to push the loop cap so is flush. (image 9-B)



image 9-A



image 9-B

TERMS & CONDITIONS

Pacific Cascade Corp., d/b/a The Parking Zone, is herein referred to as the "Seller" and the customer or person or entity purchasing goods or services (hereinafter collectively referred to as "Goods") from Seller hereunder is referred to as the "Buyer". These Terms and Conditions, any price list or schedule, quotation, acknowledgment or invoice from Seller relevant to the sale of the Goods and all documents incorporated by specific reference therein, constitute the complete and exclusive statement of the terms of the agreement governing the sale of Goods by Seller to Buyer. Buyer's acceptance of the Goods will manifest Buyer's assent to these terms and conditions without variation or addition. Any different or additional terms in Buyer's purchase order to other Buyer documents are hereby objected to. Seller reserves the right in its sole discretion to refuse orders.

PRICES: The price at which this order is accepted is subject to adjustment to the Seller's price in effect at the time of shipment.

TAXES: Any current or future tax or governmental charge (or increase in same) affecting Seller's costs or production, sale or delivery or which Seller is otherwise required to pay or collect in connection with the sale, purchase, delivery, storage, processing, use or consumption of Goods (but excluding any tax on Seller's net income or profit) shall be for Buyer's account and shall be added to the price.

TERMS OF PAYMENT: Unless otherwise specified by Seller, terms are net thirty (30) days from the date of Seller's invoice in U.S. currency. Seller shall have the right, among other remedies, either to terminate this agreement or to suspend further performance under this and/or other agreements with the Buyer in the event Buyer fails to make any payment when due, which other agreements Buyer and Seller hereby amend accordingly, or Seller otherwise deems itself insecure. Buyer shall be liable for all expenses, including attorneys' fees, relating to the collection of past due amounts. If any payment owed to Seller is not paid when due, it shall bear interest at a rate to be determined by Seller, which shall not exceed the maximum rate permitted by law, from the date on which it is due until it is paid. Should Buyer's financial responsibility become unsatisfactory to Seller, cash payments or security satisfactory to Seller may be required by Seller for future deliveries and for the Goods theretofore delivered. If such cash payment or security is not provided, in addition to Seller's other rights and remedies, Seller may discontinue deliveries. Buyer hereby grants Seller a security interest in all Goods sold to Buyer by Seller, which security interest shall continue until such Goods are fully paid for in cash, and Buyer, upon Seller's demand, will execute and deliver to Seller such instruments as Seller requests to protect and perfect such security interest.

SHIPMENT AND DELIVERY: Unless otherwise expressly provided, shipments are made F.O.B. Seller's shipping point. Risk of loss or damage and responsibility shall pass from Seller to Buyer upon delivery to and receipt by common carrier. Any claims for shortages or damages suffered in transit are the responsibility of Buyer and shall be submitted by the Buyer directly to the carrier. Shortages or damages must be acknowledged and signed for at the time of delivery. While Seller will use all reasonable commercial efforts to maintain the delivery date(s) acknowledged or quoted by Seller, all shipping dates are approximate and not guaranteed. Seller reserves the right to make partial shipments. Seller, at its option, shall not be bound to tender delivery of any Goods for which Buyer has not provided shipping instructions. If the Shipment of the Goods is postponed or delayed by Buyer for any reason, Buyer agrees to reimburse Seller for any and all handling and storage costs and other additional expenses resulting therefrom. All claims for shipping errors, lost shipments or any other discrepancies must be made within ninety (90) days or they will be disallowed and deemed waived.

LIMITED WARRANTY: Subject to the limitations of Section 6, Seller warrants that the Goods purchased for resale hereunder will be free from defects in material and workmanship under normal use and regular service and maintenance for the period specified in the Seller's warranty applicable to Goods sold in effect on the date of shipment, a copy of which has been or will be furnished to Buyer upon request.

This warranty shall not apply to any goods which:

Have been repaired or altered outside Seller's factory by other than Seller in any manner so as, in Seller's judgment, to affect its serviceability or proper operation.

Have been subjected by persons other than Seller to improper handling, operation, maintenance, repair or alteration.

Have been subjected to misuse, negligence, improper installation or accident.

Are not tagged with a "Returned Goods Identification Tag" or a before returning such Goods to Seller.

Seller's obligation under this warranty, and the Buyer's exclusive remedy for the breach thereof, shall be limited to, at Seller's option, replacement of any alleged defective Goods or issuance of credit, excluding the cost of labor and any other expenses incurred in servicing the unit on which the Goods are installed. Seller requires the return of any alleged defective Goods, transportation prepaid, before honoring any claim. All returned Goods are subject to inspection, and if examination at the factory does not disclose any defect covered by this warranty, replacement of such goods or issuance of credit for same will not be approved.

THE FOREGOING CONSTITUTES SELLER'S SOLE WARRANTY RESPONSIBILITY AND BUYER'S EXCLUSIVE REMEDY WHETHER SOUNDING IN TORT, CONTRACT, STRICT LIABILITY OR OTHERWISE, EXCEPT AS OTHERWISE EXPRESSLY SET FORTH IN THIS AGREEMENT. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, WHETHER OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OTHERWISE. SELLER SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER IN CONNECTION WITH THE SALE, RESALE OR USE OF THE GOODS.

Products purchased by Seller from a third party for resale to Buyer ("Resale products") shall carry only the warranty extended by the original manufacturer.

This Section applies to any entity or person who may buy, acquire or use the Goods and the same shall be bound by the limitations herein, including Section 6. Buyer agrees to provide such subsequent transferee conspicuous, written notice of the provisions of Sections 5 and 6.

LIMITATION OF REMEDY AND LIABILITY: THE SOLE AND EXCLUSIVE REMEDY FOR BREACH OF ANY WARRANTY HEREUNDER (OTHER THAN THE WARRANTY PROVIDED UNDER SECTION 7) SHALL BE LIMITED TO REPAIR, CORRECTION, REPLACEMENT OR CREDIT UNDER SECTION 5.

SELLER SHALL NOT BE LIABLE FOR DAMAGES CAUSED BY DELAY IN PERFORMANCE, REGARDLESS OF THE FORM OF THE CLAIM OR CAUSE OF ACTION (WHETHER BASED IN CONTRACT, INFRINGEMENT, NEGLIGENCE, STRICT LIABILITY, OTHER TORT OR OTHERWISE), AND IN NO EVENT SHALL SELLER'S LIABILITY TO BUYER AND/OR ITS CUSTOMERS EXCEED THE PRICE PAID BY BUYER FOR THE SPECIFIC GOODS PROVIDED BY SELLER GIVING RISE TO THE CLAIM OR CAUSE OF ACTION, AND BUYER SHALL INDEMNIFY SELLER FOR ANY DAMAGES IN EXCESS THEREOF. BUYER AGREES THAT IN NO EVENT SHALL SELLER'S LIABILITY TO BUYER AND/OR ITS CUSTOMERS EXTEND TO INCLUDE INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES, WHICH ARE WAIVED BY BUYER AND AS TO WHICH BUYER SHALL INDEMNIFY SELLER. The term "consequential damages" shall include, but not be limited to, loss of anticipated profits, business interruption, loss of use of revenue, cost of capital or loss or damage to property or equipment, or loss of reputation.

Further, Buyer shall indemnify and hold Seller harmless from any liability to Buyer, Buyer's employees, workers, contractors or any other persons arising out of Buyer's, or any other persons', use of the Goods. It is further expected that all instruction and warnings supplied by Seller will be passed on to those persons who use the Goods. Seller's Goods are to be used in their recommended applications and all warning labels adhered to the Goods by Seller are to be left intact.

It is expressly understood that any technical advice furnished by Seller with respect to the use of the Goods is given without charge, and Seller assumes no obligation or liability for the advice given, or results obtained, all such advice being given and accepted at Buyer's risk.

PATENTS AND COPYRIGHTS: Subject to the limitations of the second paragraph of Section 6, Seller warrants that the Goods sold, except those goods made pursuant to Buyer's drawings or specifications or otherwise at Buyer's direction ("Custom Goods"), do not infringe any valid U.S. patent or copyright, as the case may be, in existence as of the date of shipment. This warranty is given upon the condition that Buyer promptly notify Seller of any claim or suit involving Buyer in which such infringement is alleged, and that Buyer cooperate fully with Seller and permit Seller to control completely the defense, settlement or compromise of any such allegation of infringement. Seller's warranty only applies to infringements arising solely out of the inherent operation, according to Seller's specifications and instructions, of such goods or of any combination of Goods acquired by Seller in a system designed by Seller. In the event such Goods are found to infringe such a U.S. patent or copyright in such suit, and the use of such Goods is enjoined, or in the case of a compromise or settlement by Seller, Seller shall have the right, at its option and expense, to procure for Buyer the right to continue using such Goods, or replace them with non-infringing Goods, or modify some to become and non-infringing, or grant Buyer a credit for the depreciated value of such Goods upon their return. In the event of the foregoing, Seller may also, at its option, cancel the agreement as to future deliveries of such Goods, without liability.

EXCUSE OF PERFORMANCE (FORCE MAJEURE): Seller shall not be liable for delays in performance or for non-performance due to acts of God; acts of Buyer; war, fire, flood, weather, sabotage, strikes, labor disputes, civil disturbances or riots, governmental requests, restrictions, allocations, laws, regulations, orders or actions, unavailability of or delays in transportation; default of suppliers, or unforeseen circumstances or events beyond Seller's reasonable control. Deliveries or other performance may be suspended for an appropriate period of time or cancelled by Seller upon notice to Buyer in the event of any of the foregoing, but the balance of the agreement shall otherwise remain unaffected.

If Seller determines that its ability to supply the total demand for the Goods, or to obtain material used directly or indirectly in the manufacture of the Goods, is hindered, limited or made impracticable due to causes set forth herein, Seller may allocate its available supply of the Goods or such material (without obligation to acquire other supplies of any such Goods or material) among itself and its purchasers on such basis as Seller determines to be equitable without liability for any failure of performance which may result therefrom.

CANCELLATION: Buyers may cancel orders only upon reasonable advance written notice and upon payment to Seller of Seller's cancellation charges which include, among other things, all costs and expenses incurred to cover commitments made by the Seller and a reasonable profit. Seller's determination of such termination charges shall be conclusive.

CHANGES: Buyer may request changes or additions to the Goods consistent with Seller's specifications and criteria. In the event such changes or additions are accepted by Seller, Seller may revise the price(s), license fee(s) and date(s) of delivery.

Seller reserves the right to change designs and specifications for Goods without prior notice to Buyer. Seller shall have no obligation to install or make such change in any Goods manufactured prior to the date of such change.

ASSIGNMENT: Buyer shall not assign its rights or delegate its duties hereunder or any interest herein without the prior written consent of the Seller, and any such assignment, without such consent, shall be void.

INSTALLATION: Buyers shall be responsible for receiving, inspecting, testing, storing, installing, starting up and maintaining all Goods.

INSPECTION/TESTING: Buyer, at its expense, agrees that it will promptly inspect the Goods upon receipt thereof, and in no event later than thirty (30) days from the date of receipt of the Goods. Buyer shall deliver to Seller within fifteen (15) days of inspection, but in no event later than forty-five (45) days from the date of receipt of the Goods, written notice of any and all deficiencies, defects, variations from specifications or complaints of any kind with respect to the quantity, quality, condition, shipment, performance, price or appearance of the Goods so received by Buyer. In the event no such written notice is received by Seller, Buyer shall be deemed conclusively to have inspected and accepted all such Goods unconditionally and to have waived any and all rights and claims including without limitation any right to reject the Goods or to claim damages in respect thereof. Buyer may not return Goods without first advising Seller of the reasons therefor, obtaining from Seller a Returned Goods Authorization Number and observing such instructions as Seller may give in authorizing such return. Buyer, at its option, may inspect and observe the testing by Seller of the Goods for compliance with Seller's standard test procedures prior to shipment, which inspection and testing shall be conducted at Seller's plant at such reasonable time as is specified by Seller. Any alleged rejection of the Goods at Seller's plant must be made promptly by Buyer before shipment. Tests shall be deemed to be satisfactorily completed and the test fully met when the Goods meet Seller's criteria for such procedures.

DRAWINGS: Any of Seller's prints and drawings (including without limitation, the underlying technology) furnished by Seller to Buyer in connection with this agreement are the property of Seller and Seller retains all rights, including without limitation, exclusive rights of use, licensing and sale of same. Possession of such prints or drawings does not convey to Buyer any rights therein or license thereto. Upon termination of this agreement, or at any time upon Seller's request, all such prints and drawings, and any copies or duplications of same, shall be immediately returned to Seller.

QUANTITY: Buyer agrees to accept quantities of plus or minus ten percent (10%) of the order on Goods, including parts. Any such additional items shall be priced at the price per item charged for the specific quantity ordered.

TOOLING: Tool, die and pattern charges, if any, are in addition to the price of the Goods and are due and payable upon completion of the tooling. All such tools, dies and patterns shall be and remain the property of Seller. Charges for tools, dies and patterns do not convey to Buyer, title, ownership interests in, or rights to possession or removal, or prevent their use by Seller for other purchasers, except as otherwise expressly provided by Seller and Buyer in writing with reference to this provision.

DOCUMENTATION: Seller shall provide Buyer with that data/documentation which is specifically identified in Seller's quotation. If additional copies of data/documentation are to be provided by Seller, it shall be provided to Buyer at Seller's applicable prices then in effect.

SERVICES: If this agreement requires Seller to perform or provide any services hereunder, Seller (including without limitation its successors, assigns, agents or any person or entity acting at Seller's direction) shall not be responsible for any damages, claims, liabilities or expenses of any nature arising out of such services.

CONFIDENTIALITY: Seller (including without limitation its successors, assigns, agents or any person or entity acting at Seller's direction) shall not be responsible for keeping confidential any specifications, drawings, designs, manufacturing data or other information of any nature provided by Buyer hereunder, and further, Seller shall not be liable for any damages, costs or expenses of any nature arising out of any dissemination of such documents or information.

U.S. EXPORT CONTROL REGULATIONS: All Goods sold to Buyer by Seller hereunder are subject to U.S. Export Control Laws. Buyer hereby agrees not to resell or divert any Goods contrary to such laws. For sales ultimately destined outside the United States, notwithstanding any provisions to the contrary in this or other documents related to this transaction, and regardless of how price was quoted, whether FOB, FAS, CIF or otherwise, legal title to the goods and risk of loss shall remain with Seller until the goods have passed beyond the territorial limits of the United States.

MISCELLANEOUS: These terms and conditions supersede all other communications, negotiations and prior oral or written statements regarding the subject matter of these terms and conditions. No change, modification, rescission, discharge, abandonment, or waiver of these terms and conditions shall be binding upon the Seller unless made in writing and signed on its behalf by its duly authorized representative. No conditions, usage or trade, course of dealing or performance, understanding or agreement purporting to modify, vary, explain, or supplement these terms and conditions shall be binding unless hereafter made in writing and signed by Seller. No modification shall be effected by the Seller's receipt or acceptance of Buyer's purchase orders, shipping instruction forms, or other documentation containing terms at variance with or in addition to those set forth herein, all of which are objected to by Seller. No waiver by Seller with respect to any breach or default of any right or remedy and no course of dealing, shall be deemed to constitute a continuing waiver of any other breach or default of any other right or remedy, unless such waiver be expressed in writing and signed by the Seller. All typographical or clerical errors made by Seller in any quotation, acknowledgment or publication are subject to correction.

The validity, performance, and all other matters relating to the interpretation and effect of this agreement shall be governed by the laws of the state of Washington without regard to its conflict of law principles. Buyer and Seller agree that the proper venue for all actions arising in connection herewith shall be only in Washington and the parties agree to submit to such jurisdiction. No action, regardless of form, arising out of transactions relating to this contract, may be brought by either party more than two (2) years after the cause of the action has occurred. Further, the United Nations Convention on the International Sales of Goods (1980) (as amended from time to time) shall not apply to this Purchase Order or any transactions relating thereto.

GOODS AND/OR SERVICES SOLD HEREUNDER ARE NOT FOR USE IN ANY NUCLEAR AND RELATED APPLICATIONS: Buyer accepts goods and/or services with the foregoing understanding, agrees to communicate the same in writing to any subsequent purchaser or users and to defend, indemnify and hold harmless Seller from any claims, losses, suits, judgments and damages, including incidental and consequential damages, arising from such use, whether the cause of action be based in tort, contract or otherwise, including allegations that the Seller's liability is based on negligence or strict liability.



Lyle Peters - U.S. Sales Director
1.800.292.7275 ext. 207
GorillaPost.com

14208 NW Third Court • Suite 200
Vancouver, WA 98685-5759